




Fixture Housing	Max Wattage	Lamp Position	Optical Distribution	Mounting Option	Illustration	Catalog Prefix
9 in. Round Canopy	150W	Directional	Clear Flat Lens	Recessed Mount		BCP-RD9-D-L1-RM Spec
9 in. Round Canopy	400W	Vertical	Clear Flat Lens	Recessed Mount		BCP-RD9-V-L1-RM Spec
9 in. Round Canopy	400W	Vertical	Patterned Flat Lens	Recessed Mount		BCP-RD9-V-L4-RM Spec
9 in. Round Canopy	400W	Vertical	Clear Sag Lens	Recessed Mount		BCP-RD9-V-L2-RM Spec
9 in. Round Canopy	400W	Vertical	Drop Prismatic Lens	Recessed Mount		BCP-RD9-V-L3-RM Spec
12 in. Square Canopy	175W	Horizontal	Crystal #73 Glass Lens	Recessed Mount		BCP-S12-H-C7-RM Spec
12 in. Square Canopy	175W	Horizontal	Acrylic Drop Prismatic Lens	Recessed Mount		BCP-S12-H-AD-RM Spec
12 in. Square Canopy	175W	Horizontal	Crystal #73 Glass Lens	Direct Mount		BCP-S12-H-C7-DM Spec
12 in. Square Canopy	175W	Horizontal	Crystal #73 Glass Lens	Quick Mount		BCP-S12-H-C7-QM Spec
12 in. Square Canopy	175W	Horizontal	Acrylic Drop Prismatic Lens	Direct Mount		BCP-S12-H-AD-DM Spec
12 in. Square Canopy	175W	Horizontal	Acrylic Drop Prismatic Lens	Quick Mount		BCP-S12-H-AD-QM Spec
16 in. Square Canopy	400W	Horizontal	Crystal #73 Glass Lens	Direct Mount		
16 in. Square Canopy	200W	Horizontal	Crystal #73 Glass Lens	Recessed Mount	BCP-S16-H-C7-RM Spec	
16 in. Square Canopy	400W	Horizontal	Crystal #73 Glass Lens	Quick Mount	BCP-S16-H-C7-QM Spec	
16 in. Square Parking	200W	Vertical	Clear Flat Lens – Type V	Direct Mount		BCP-S16-V-L1-DM Spec
16 in. Square Parking	200W	Vertical	Clear Flat Lens – Type V	Quick Mount		BCP-S16-V-L1-QM Spec
22 in. Square Canopy	400W	Horizontal	Crystal #73 Glass Lens	Direct Mount		BCP-S22-H-C7-DM Spec

Fixture Housing	Max Wattage	Lamp Position	Optical Distribution	Mounting Option	Illustration	Catalog Prefix
22 in. Square Canopy	400W	Horizontal	Acrylic Drop Prismatic Lens	Direct Mount		BCP-S22-H-AD-DM Spec
8 in. Square Translucent	70W	Vertical	Translucent Lens	Direct Mount		BCP-SQ8-V-TL-DM Spec
8 in. Square Ceiling Cutoff	70W	Vertical	Ceiling Cutoff	Direct Mount		BCP-SQ8-V-CC-DM Spec
12 in. Square Translucent	175W	Vertical	Translucent Lens	Direct Mount		BCP-S12-V-TL-DM Spec
12 in. Square Translucent	175W	Vertical	Translucent Lens	Quick Mount		BCP-S12-V-TL-QM Spec
12 in. Square Ceiling Cutoff	100W	Vertical	Ceiling Cutoff	Direct Mount		BCP-S12-V-CC-DM Spec
12 in. Square Ceiling Cutoff	100W	Vertical	Ceiling Cutoff	Quick Mount		BCP-S12-V-CC-QM Spec
12 in. Square Up/Down	175W	Vertical	Up/Down Cutoff	Direct Mount		BCP-S12-V-UD-DM Spec
12 in. Square Up/Down	175W	Vertical	Up/Down Cutoff	Quick Mount		BCP-S12-V-UD-QM Spec
8 in. Surface Square	38W	Horizontal	Translucent Lens	Direct Mount		BCP-SSS-H-TL-DM Spec
10 in. Surface Square	38W	Horizontal	Translucent Lens	Direct Mount		BCP-SSL-H-TL-DM Spec
6 x 10 in. Rectangular	100W	Vertical	Translucent Lens	Direct Mount		BCP-RCT-V-TL-DM-Fluorescent Spec BCP-RCT-V-TL-DM-HID Spec BCP-RCT-V-TL-DM-Incandescent Spec
6 x 10 in. Rectangular	100W	Vertical	Ceiling Cutoff	Direct Mount		BCP-RCT-V-CC-DM-Fluorescent Spec BCP-RCT-V-CC-DM-HID Spec BCP-RCT-V-CC-DM-Incandescent Spec
6 x 10 in. Rectangular Soffit	100W	Vertical	Soffit Light	Direct Mount		BCP-RCT-V-SL-DM Spec
9 in. Circular	100W	Vertical	Translucent Lens	Direct Mount		BCP-CIR-V-TL-DM Spec
9 in. Circular	70W	Vertical	Ceiling Cutoff	Direct Mount		BCP-CIR-V-CC-DM Spec

Canopy & Parking Deck

Fixture Housing	Max Wattage	Lamp Position	Optical Distribution	Mounting Option	Illustration	Catalog Prefix
9 in. Circular	100W	Vertical	Up/Down Cutoff	Direct Mount		BCP-CIR-V-UD-DM Spec
12 in. Parking Structure	175W	Vertical	Symmetrical Prismatic	Direct Mount		BCP-P12-V-SP-DM Spec
12 in. Parking Structure	175W	Vertical	Symmetrical Prismatic	Quick Mount		BCP-P12-V-SP-QM Spec
9 in. Parking Structure	175W	Vertical	Symmetrical Prismatic	Cord/Plug Mount		BCP-MR9-V-SP-CP Spec
9 in. Parking Structure	175W	Vertical	Symmetrical Prismatic	Direct Mount		BCP-MR9-V-SP-DM Spec